

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 04/24/2015 Date of issue: 04/24/2015 Supersedes Date: 10/28/2013

Version: 1.0

# **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form: Mixture</u>

**Product Name:** Arm & Hammer<sup>TM</sup> Fabric & Carpet Foam Deodorizer, Arm & Hammer<sup>TM</sup> Carpet & Room Odor Eliminator Vacuum-Free Foam, Arm & Hammer<sup>TM</sup> Healthy Home Solutions Odor Eliminator Foam, Arm & Hammer<sup>TM</sup> Max Odor Eliminator Foam

Synonyms: Odor Eliminator Intended Use of the Product

Carpet Deodorizer.

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

**Emergency Telephone Number** 

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

# **SECTION 2: HAZARDS IDENTIFICATION**

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

# **Classification of the Substance or Mixture**

Classification (GHS-US)

Compressed gas H280 Eye Irrit. 2A H319

Full text of H-phrases: see section 16

<u>Label Elements</u> GHS-US Labeling

Hazard Pictograms (GHS-US) :





Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated.

H319 - Causes serious eye irritation.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

# **Other Hazards**

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. May aggravate an existing allergic or asthmatic condition.

# Unknown Acute Toxicity (GHS-US) Not available

04/24/2015 EN (English US) 1/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	60 - 100	Not classified
Petroleum gases, liquefied, sweetened	(CAS No) 68476-86-8	10 - 30	Simple Asphy
			Flam. Gas 1, H220
			Compressed gas, H280
Glycine, N-methyl-N-(1-oxododecyl)-,	(CAS No) 137-16-6	1 - 2	Acute Tox. 2 (Inhalation: dust, mist), H330
sodium salt			Skin Irrit. 2, H315
			Eye Dam. 1, H318
1-Propanaminium, 3-(acetylamino)-N,N,N-	(CAS No) 123776-56-7	0.1 - 1	Not classified
trimethyl, chloride			
Sodium benzoate	(CAS No) 532-32-1	0.1 - 1	Comb. Dust
			Eye Irrit. 2A, H319
Octanal, 2-(phenylmethylene)-	(CAS No) 101-86-0	0.1 - 1	Skin Sens. 1B, H317
			Aquatic Acute 2, H401
			Aquatic Chronic 2, H411
Sodium bicarbonate	(CAS No) 144-55-8	0.1 - 1	Not classified
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-	(CAS No) 1222-05-5	<=0.1	Aquatic Acute 1, H400
hexahydro-4,6,6,7,8,8-hexamethyl-			Aquatic Chronic 1, H410

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

Full text of H-phrases: see section 16

# **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

# Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes serious eye irritation. **Inhalation:** May cause respiratory irritation. **Skin Contact:** May cause skin irritation.

Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred

vision.

**Ingestion:** May cause gastrointestinal irritation.

Chronic Symptoms: None expected under normal conditions of use.

# Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

# **SECTION 5: FIRE-FIGHTING MEASURES**

## **Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Use of heavy stream of water may spread fire.

04/24/2015 EN (English US) 2/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

## Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Pressurized container: may burst if heated.

Reactivity: Hazardous reactions will not occur under normal conditions.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.

Hazardous Combustion Products: Emission of toxic gases: Carbon oxides. Sodium oxides. Sulfur oxides.

# **Reference to Other Sections**

Refer to section 9 for flammability properties.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions, Protective Equipment and Emergency Procedures**

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

### **For Emergency Personnel**

Protective Equipment: Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

# **Environmental Precautions**

Prevent entry to sewers and public waters. Contact competent authorities after a spill.

# Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage.

# **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

# **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

**Additional Hazards When Processed:** Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Ensure all national/local regulations are observed.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep only in original container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Ammonia.

### Specific End Use(s)

Carpet Deodorizer. For professional use only.

04/24/2015 EN (English US) 3/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

### **Exposure Controls**

**Appropriate Engineering Controls:** For occupational/workplace settings: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** For occupational/workplace settings and bulk quantities: Gloves. Protective goggles. Protective clothing.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear chemically resistant protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Chemical resistant suit.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# **Information on Basic Physical and Chemical Properties**

Physical State : Liquid

**Appearance** : Colorless, Aerosol foam

Odor : None

**Odor Threshold** Not available рΗ 8.2 - 8.7 **Evaporation Rate** Not available **Melting Point** Not applicable **Freezing Point** Not available **Boiling Point** Not available Flash Point Not applicable **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available Not available **Lower Flammable Limit Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20 °C Not available **Relative Density** 0.99 - 0.995**Specific Gravity** Not available Solubility Complete in water

Viscosity : Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact

**Partition Coefficient: N-Octanol/Water** 

Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge

Not available

04/24/2015 EN (English US) 4/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Hazardous reactions will not occur under normal conditions.

<u>Chemical Stability</u>: The product is stable at normal handling and storage conditions. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Temperatures above (49°C, 120°F).

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Ammonia.

Hazardous Decomposition Products: Toxic gases. Carbon oxides. Sodium oxides. Sulfur oxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# **Information on Toxicological Effects - Product**

Acute Toxicity: Not classified LD50 and LC50 Data: Not available Skin Corrosion/Irritation: Not classified

pH: 8.2 - 8.7

Serious Eye Damage/Irritation: Causes serious eye irritation

**pH:** 8.2 - 8.7

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

**Teratogenicity:** Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation
Symptoms/Injuries After Skin Contact: May cause skin irritation

Symptoms/Injuries After Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning,

tearing, and blurred vision

**Symptoms/Injuries After Ingestion:** May cause gastrointestinal irritation **Chronic Symptoms:** None expected under normal conditions of use

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Glycine, N-methyl-N-(1-oxododecyl)-, sodi	um salt (137-16-6)
LD50 Oral Rat	> 5000 mg/kg
LC50 Inhalation Rat	0.5 mg/l/4h
Sodium benzoate (532-32-1)	
LD50 Oral Rat	2100 mg/kg
Sodium bicarbonate (144-55-8)	
LD50 Oral Rat	4220 mg/kg
Octanal, 2-(phenylmethylene)- (101-86-0)	
LD50 Oral Rat	2450 mg/kg
LD50 Dermal Rabbit	> 3000 mg/kg
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-h	exahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5)
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg

04/24/2015 EN (English US) 5/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# SECTION 12: ECOLOGICAL INFORMATION

# **Toxicity** No additional information available

Sodium benzoate (532-32-1)		
LC50 Fish 1	420 (420 - 558) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	650 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
Sodium bicarbonate (144-55-8)		
LC50 Fish 1	8250 - 9000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1	2350 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5)		
LC50 Fish 1	1.36 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [Flow-through])	
EC50 Daphnia 1	(Species:	
EC50 Other Aquatic Organisms 1	≤ 153 mg/l	
NOEC chronic fish	0.093 mg/l (Species: Lepomis macrochirus [Flow-through])	
NOEC chronic crustacea	0.0375 mg/l (Species: Acartia tonsa [static])	

### **Persistence and Degradability**

Arm & Hammer <sup>™</sup> Fabric & Carpet Foam Deodorizer	
Persistence and Degradability	Not established.

## **Bioaccumulative Potential**

Arm & Hammer <sup>™</sup> Fabric & Carpet Foam Deodorizer		
Bioaccumulative Potential	Not established.	
Petroleum gases, liquefied, sweetened (68476-86-8)		
Log POW	<= 2.8	
Sodium benzoate (532-32-1)		
BCF Fish 1	(no bioaccumulation)	
Log POW	-2.13	

### Mobility in Soil Not available

**Other Adverse Effects** 

**Other Information:** Avoid release to the environment.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Empty cans completely through use-up or proper industrial can evacuation procedures. Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations. **Additional Information:** Pressurized container: may burst if heated.

# **SECTION 14: TRANSPORT INFORMATION**

## In Accordance with DOT

Proper Shipping Name : AEROSOLS, non-flammable, (each not exceeding 1 L capacity) (Contains Petroleum gases,

liquefied, sweetened)

Hazard Class : 2.2 Identification Number : UN1950 Label Codes : 2.2 ERG Number : 126



<sup>\*</sup> For US Ground only: Consumer Commodity, ORM-D (non-bulk packages)

04/24/2015 EN (English US) 6/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# **In Accordance with IMDG**

Proper Shipping Name : AEROSOLS (Contains Petroleum gases, liquefied, sweetened)

Hazard Class:2Identification Number:UN1950Label Codes:2.2EmS-No. (Fire):F-DEmS-No. (Spillage):S-U



### In Accordance with IATA

Proper Shipping Name : AEROSOLS, NON-FLAMMABLE (Contains Petroleum gases, liquefied, sweetened)

Identification Number: UN1950Hazard Class: 2Label Codes: 2.2ERG Code (IATA): 2L

\* This product is shipped as Consumer Commodity, ID8000.

### In Accordance with TDG

Proper Shipping Name : AEROSOLS, NONFLAMMABLE (Contains Petroleum gases, liquefied, sweetened)

Hazard Class : 2.2 Identification Number : UN1950 Label Codes : 2.2



# **SECTION 15: REGULATORY INFORMATION**

# **US Federal and international regulations**

Arm & Hammer <sup>™</sup> Fabric & Carpet Foam Deodorizer, Arm & Hammer <sup>™</sup> Carpet & Room Odor Eliminator Vacuum-Free Foam, Arm
& Hammer <sup>TM</sup> Healthy Home Solutions Odor Eliminator Foam, Arm & Hammer <sup>TM</sup> Max Odor Eliminator Foam

SARA Section 311/312 Hazard Classes

Immediate (acute) health hazard
Sudden release of pressure hazard

## Water (7732-18-5)

### **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Glycine, N-Methyl-N-(1-Oxododecyl)-, Sodium Salt (137-16-6)

# **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Petroleum Gases, Liquefied, Sweetened (68476-86-8)

04/24/2015 EN (English US) 7/10

<sup>\*</sup> This product shipped as Consumer Commodity.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 1-Propanaminium, 3-(Acetylamino)-N,N,N-Trimethyl, Chloride (123776-56-7)

### **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

### Sodium Benzoate (532-32-1)

# **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Sodium Bicarbonate (144-55-8)

## **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Octanal, 2-(Phenylmethylene)- (101-86-0)

## **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Cyclopenta[G]-2-Benzopyran, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-Hexamethyl- (1222-05-5)

### **Regional Legislation**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

04/24/2015 EN (English US) 8/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# **US State Regulations**

Neither this product nor its chemical components appear on any US state lists.

# **Canadian Regulations**

Arm & Hammer<sup>TM</sup> Fabric & Carpet Foam Deodorizer, Arm & Hammer<sup>TM</sup> Carpet & Room Odor Eliminator Vacuum-Free Foam, Arm & Hammer<sup>TM</sup> Healthy Home Solutions Odor Eliminator Foam, Arm & Hammer<sup>TM</sup> Max Odor Eliminator Foam

WHMIS Classification Class A - Compressed Gas

Class D Division 2 Subdivision B - Toxic material causing other toxic effects





Water (7732-10-3)	
Listed on the Canadian DSL (Dome	stic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

### Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt (137-16-6)

Listed on the Canadian DSL (Domestic Substances List)

## Petroleum gases, liquefied, sweetened (68476-86-8)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class A - Compressed Gas

Class B Division 1 - Flammable Gas

Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

# 1-Propanaminium, 3-(acetylamino)-N,N,N-trimethyl, chloride (123776-56-7)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

### Sodium benzoate (532-32-1)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects

# Sodium bicarbonate (144-55-8)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

# Octanal, 2-(phenylmethylene)- (101-86-0)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects

# Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 04/24/2015

04/24/2015 EN (English US) 9/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### **Other Information**

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

### **GHS Full Text Phrases:**

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Comb. Dust	Combustible Dust
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Gas 1	Flammable gases Category 1
Simple Asphy	Simple Asphyxiant
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Skin sensitization Category 1B
H220	Extremely flammable gas
	May form combustible dust concentrations in air
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

# Party Responsible for the Preparation of This Document

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

North America GHS US 2012 & WHMIS 2

04/24/2015 EN (English US) 10/10